

L Number	Hits	Search Text	DB	Time stamp
55	4151	(257/88,89,90,98,100,94,103;438/26,29).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 09:45
56	0	("55 and "light emitting diode" "light-emitting diodes" "light emitting diodes") and ((conversion near3 percentage) (conversion near3 degree) (amount near3 conversion) (conversion near3 efficien\$4))".PN. (362/800).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 10:54
57	1075		USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 10:55
58	472	((362/800).CCLS.) and (lens diffuser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 10:56
59	417	((362/800).CCLS.) and (lens diffuser)) and ("light emitting diode" "light-emitting diode" "light emitting diodes" "light-emitting diodes")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 10:58
60	298	((362/800).CCLS.) and (lens diffuser)) and ("light emitting diode" "light-emitting diode" "light emitting diodes" "light-emitting diodes") and (center distance equidistant constant)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:26
61	0	((362/800).CCLS.) and nichia.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:27
62	0	((362/800).CCLS.) and matoba.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:27
63	0	((362/800).CCLS.) and kosuke.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:27
64	6609	(313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:27
65	2	((313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS. and matoba.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:28
66	26	((313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS. and nichia.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:28
79	1	((362/800).CCLS.) and ((conversion near3 percentage) (conversion near3 degree) (amount near3 conversion))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:44

82	1	((362/800).CCLS.) and ((conversion near3 percentage) (conversion near3 degree) (amount near3 conversion) (conversion near3 "%"))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:44
83	7	((362/800).CCLS.) and ((conver\$4 near3 percentage) (conver\$4 near3 degree) (amount near3 conver\$4) (conver\$4 near3 "%"))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:45
-	3	("3875456").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 14:51
-	6593	(313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:27
-	2229	((313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS. and ("light emitting diode" "light-emitting diode" "light-emitting diodes" "light emitting diodes"))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 15:00
-	588	((313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS. and ("light emitting diode" "light-emitting diode" "light-emitting diodes" "light emitting diodes")) and (lens concave convex)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 15:04
-	2589	(313/502,498,512,501,110,111,112).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 15:10
-	0	("6 and lens").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 15:09
-	0	("6 and lens").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 15:09
-	0	("16 and lens").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 15:10
-	0	("16 and (lens)").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 15:10
-	2589	(313/502,498,512,501,110,111,112).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 15:10
-	308	((313/502,498,512,501,110,111,112).CCLS.) and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 16:09

-	122	((313/502,498,512,501,110,111,112).CCLS.) and lens) and ("light-emitting diode" "light-emitting diodes" "light emitting diode" "light emitting diodes")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 16:33
-	502	((313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS and ("light emitting diode" "light-emitting diode" "light-emitting diodes" "light emitting diodes")) and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 16:22
-	35	((313/502,498,512,501,110,111,112).CCLS.) and lens) and ("light-emitting diode" "light-emitting diodes" "light emitting diode" "light emitting diodes")) and ("lead frame" "leadframe" leadframes\$ "lead frames")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/03 17:00
-	2	((313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS and ("light emitting diode" "light-emitting diode" "light-emitting diodes" "light emitting diodes")) and lens) and ((conversion near3 percentage (conversion near3 degree) (amount near3 conversion))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 11:42
-	29	((313/502,498,512,501,110,111,112;257/88,89,90,98,100,94,103;438/26,29).CCLS and ("light emitting diode" "light-emitting diode" "light-emitting diodes" "light emitting diodes")) and lens) and ((conversion near3 percentage (conversion near3 degree) (amount near3 conversion) (conversion near3 efficien\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/04 09:46